According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

### 1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: OptiShield Corrosion Inhibitor
- · Application of the substance / the preparation Water treatment
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Opti Temp

1500 International Drive Traverse City, MI 49686 Tel: (231) 946.2931

E-mail: Information@OptiTemp.com



· 1.4 Emergency telephone number: (231) 946-2931

### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R34: Causes burns.

· Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- Labeling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Safety Data Sheet According to 1907/2006/EC (REACH),

1272/2008/EC (CLP), and GHS

Trade name: OPTISHIELD Corrosion Inhibitor

P264 Wash thoroughly after handling.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Hazard description:

· WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2 0 Fire = 0

REACTIVITY Reactivity = 0

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

# **Safety Data Sheet** According to 1907/2006/EC (REACH),

# 1272/2008/EC (CLP), and GHS

Trade name: OPTISHIELD Corrosion Inhibitor

· Dangerous components:		
CAS: 7601-54-9	trisodium orthophosphate substance with a Community workplace exposure limit	< 2.2%
CAS: 7631-99-4 EINECS: 231-554-3	sodium nitrate, containing in the dry statemore than 16,3 per cent by weight of nitrogen  Xn R22; Xi R36; O R8	<1.0%
A L Price and Professional	Eye Irrit. 2, H319	

· Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

Methaemoglobinaemia

Dizziness

Gastric or intestinal disorders

· Hazards

Danger of disturbed cardiac rhythm.

Danger of circulatory collapse.

4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

Monitor circulation.

### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

# According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Trade name: OPTISHIELD Corrosion Inhibitor

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Trade name: OPTISHIELD Corrosion Inhibitor

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 7601-54-9 trisodium orthophosphate

WEEL (USA) Short-term value: 5 mg/m<sup>3</sup>

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Goggles recommended during refilling

· Body protection: Protective work clothing

# Safety Data Sheet According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

**Trade name: OPTISHIELD Corrosion Inhibitor** 

9 Physical and chemical properties		
<ul> <li>9.1 Information on basic physical ar</li> <li>General Information</li> <li>Appearance:</li> </ul>	nd chemical properties	
Form:	Liquid	
Color:	Light yellow	
· Odor:	Mild	
· Odor threshold:	Not determined.	
· pH-value at 20°C:	11 - 12	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not established	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20°C:	23 hPa	
· Density at 20°C:	1,03 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Segregation coefficient (n-octanol/v	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	<10 %	
· 9.2 Other information	No further relevant information available.	

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Trade name: OPTISHIELD Corrosion Inhibitor

### 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Contact with acids releases toxic gases.

Contact with acids releases irritant gases.

Reacts with alkali (yes).

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Possible in traces.

### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin:

Caustic effect on skin and mucous membranes.

Irritant to skin and mucous membranes.

· on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability

Moderately/partly biodegradable

Moderately/partly removable from water

- · 12.3 Bioaccumulative potential Not worth-mentioning accumulating in organisms
- 12.4 Mobility in soil No further relevant information available.

### Safety Data Sheet According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Revision: 4/9/2015

Trade name: OPTISHIELD Corrosion Inhibitor

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or neutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Unclean packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

4 Transport information			
· 14.1 UN-Number			
· DOT, ADR, ADN, IMDG, IATA	N/A		
· 14.2 UN proper shipping name			
· DOT, ADR, ADN, IMDG, IATA	N/A		
· 14.3 Transport hazard class(es)	NA		
· DOT, IATA	NA		
· Class	N/A		
· ADR, ADN, IMDG			
Class	N/A		
· 14.4 Packing group	NA		
· DOT, ADR, IMDG, IATA	N/A		
· 14.5 Environmental hazards:			
· Marine pollutant:	No		

### According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Revision: 4/9/2015

**Trade name: OPTISHIELD Corrosion Inhibitor** 

• 14.6 Special precautions for user Not applicable.

• 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N

Not applicable.

· UN "Model Regulation":

### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- · SARA
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

### Safety Data Sheet According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Revision: 4/9/2015

#### **Trade name: OPTISHIELD Corrosion Inhibitor**

Canadian I	ngredient Disclosure list (limit 0.1%)
None of the	ingredients is listed.
Canadian I	ngredient Disclosure list (limit 1%)
7631-95-0	Sodium molybdate
7631-99-4	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H272 May intensify fire; oxidizer.

H319 Causes serious eye irritation.

R22 Harmful if swallowed.

R36 Irritating to eyes.

R8 Contact with combustible material may cause fire.

### · Abbreviations and acronyms:

ADR: Accord European sur le transport des merchandises dangerousness par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)